

Le Lampiste



Universals Series

RLM PAR

CYL HEAT



Generations

Le Lampiste 4791 Chemin de la Savane, St-Hubert, Québec, Canada, J3Y 9G1
Tel: 1-450-462-1137 / 1-800-919-1136 Fax: 1-450-462-1150 @mail: info@lampiste.com

WWW.LAMPISTE.COM

2003 Le Lampiste de Beloeil Inc.



SLANT : #1090

Diameter	8", 10"
Mounting Selection	A, B, C, D, E, F, H
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



SCOOP : #1110

Diameter	8", 10", 12"
Mounting Selection	A, B, C, D, E, F, H
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



BONNET : #1040

Diameter	12", 14"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



RLM STRETCH : #1050

Diameter	12", 16", 18"
Mounting Selection	A, B, C, D, E, F, G, H, I K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



DEEP SCOOP : #1130

Diameter	10"
Mounting Selection	A, B, C, E, F, H
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



ALMOND : #1075

Diameter	8"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



TRUMP : #1076

Diameter	10"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



BUGGLE : #1115

Diameter	12"
Mounting Selection	A, B, C, E, F, H
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



QUAVA : #1135

Diameter	9½"
Mounting Selection	A, B, C, E, F, H
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



MORASS : #1077

Diameter	9"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



NAUTICAL : #1070

Diameter	14"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



RADIAL WAVE : #1010

Diameter	16", 18", 22"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



GARDEN : #1012

Diameter	23"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



DRESS : #1095

Diameter	8 1/4"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



FAMILY : #1116

Diameter	8"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



BALL : #3010

Diameter	8", 10"
Mounting Selection	As shown
Swivel	no
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



ACANTHUS : #3015

Diameter	8", 10"
Mounting Selection	As shown
Swivel	no
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



HAT: #1120

Diameter	10"
Mounting Selection	As shown
Swivel	no
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



KOOLIE : #1060

Diameter	16"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



REFLECTOR : #1080

Diameter	8", 10", 12"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



FLAT RLM: #1030

Diameter	12", 16", 18"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



RLM DOME : #1000

Diameter	12", 16", 18", 22"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



DOME PLUS : #1020

Diameter	8", 10", 12", 16", 18", 22"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



RUSTIC: #1140

Diameter	16"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



CHUBBY : #1015

Diameter	18"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



CLIP : #1021

Diameter	20"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



MADELEINE: #1065

Diameter	12", 22"
Mounting Selection	A, B, C, D, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



SOUPY : #1081

Diameter	10"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



SPANISH : #1126

Diameter	20"
Mounting Selection	A, B, C, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



CHESS: #1125

Diameter	9"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



WESTERN : #1033

Diameter	11"
Mounting Selection	A, B, C, D, E, F, G, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



DEEP WESTERN : #1132

Diameter	16"
Mounting Selection	A, B, C, E, F, H, I, K, L, M
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



PRATT: #1139

Diameter	11"
Mounting Selection	As shown + L, M
Swivel	no
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



Mounting selection
& accessories

RLM & **PAR**

► **Mounting :** **RLM: 7/8" diameter arms.**
PAR: 1/2" diameter arms.


A



B




C



D




E




F




G




H



I



K



X

Custom design

► **Accessories :** **RLM: only**

L



M



Le Lampiste 4791 Chemin de la Savane, St-Hubert, Québec, Canada, J3Y 9G1
Tel: 1-450-462-1137 / 1-800-919-1136 Fax: 1-450-462-1150 @mail: info@lampiste.com
WWW.LAMPISTE.COM

Copyright 2003 Le Lampiste de Beloeil Inc.

► Lamping Options



► Finishing Options



Incandescent Lamps

Bulb	Base	Watts
A-19	Med.	60, 75, 90, 100
A-21	Med.	75, 90, 100, 135, 150
A-23	Med.	100, 150
PAR-30S	Med. Skt.	60, 75
PAR-30L	Med. Skt.	75
PAR-38	Med. Skt.	60, 75, 90, 100, 150
G-25	Med.	60
G-30	Med	60, 100
G-40	Meg	60, 100, 150

Finishes

SA	Satin aluminium
BZ	Bronze
VG	Verdegris
WH	White
BK	Black
GR	Green
YL	Yellow
BU	Blue
RD	Red
BN	Brown
CS	Custom color with sample



CONE PLUS : #2000-38

Diameter	5½"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



FLARE : #2020-30/38

Diameter	7"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



CONE: #2000-30

Diameter	4½"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 75W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



PORT : #2045-30

Diameter	8½"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 75W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

BELL : #2015-30

Diameter	5"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 75W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

STEP: #2010-30/38

Diameter	4½", 5¾"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



BUBBLE : #2006-30

Diameter	5"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 75W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



PAGODA : #2040-30/38

Diameter	4¼", 5¼"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



PICCOLO : #2026-20

Diameter	3¾"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



LEGGY : #2009-38

Diameter	6"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG




SQUAT : #2050-30/38

Diameter	4¼", 5¾"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



BROME : #2051-38

Diameter	5¾"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	60-150W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



CANDY : #2005-30

Diameter	5"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 100W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

HUBBY : #2027-20

Diameter	4"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 100W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

HOOTER : #2055-20

Diameter	4"
Mounting Selection	A, B, C, E, F, G, H, I, K
Swivel	optional
Lamping Options	Incandescent
Voltage	120v
Watt	50 – 100W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

▶ Mounting:

See page Mounting selection & accessories **RLM**

▶ Lamping Options



Incandescent Lamps		
Bulb	Base	Watts
R-20	Med.	17, 30, 50, 60, 75, 100
PAR-16	Med.	45, 60
PAR-20	Med.	50
PAR-30S	Med.	60, 75
PAR-30L	Med.	75
PAR-38	Med.	60, 75, 90, 100, 150

▶ Finishing Options



Finishes	
SA	Satin aluminium
BZ	Bronze
VG	Verdegris
WH	White
BK	Black
GR	Green
YL	Yellow
BU	Blue
RD	Red
BN	Brown
CS	Custom color with sample



BULLET : #2525

Diameter	4", 6", 8"
Mounting Selection	Up* or Down
Lamping Options	Incandescent, Compact Fluorescent, Metal Halide
Voltage	120v
Watt	2x50W – 2x150W INC 2x26W – 2x42W CF 2x70W – 2x100W MH
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

DUAL BARIL : #2500

Diameter	6", 8"
Mounting Selection	Up* and Down
Lamping Options	Incandescent, Compact Fluorescent, Metal Halide
Voltage	120v
Watt	2x50W – 2x150W INC 2x26W – 2x42W CF 2x70W – 2x100W MH
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

BARIL : #2510

Diameter	6", 8"
Mounting Selection	Up* or Down
Lamping Options	Incandescent, Compact Fluorescent, Metal Halide
Voltage	120v
Watt	2x50W – 2x150W INC 2x26W – 2x42W CF 2x70W – 2x100W MH
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

* Comes with clear tempered glass with uplight



KEG : #2530

Diameter	4"
Mounting Selection	Up* or Down
Lamping Options	Incandescent, Compact Fluorescent, Metal Halide
Voltage	120v
Watt	2x50W – 2x150W INC 2x26W – 2x42W CF 2x70W – 2x100W MH
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

DUAL KEG : #2550

Diameter	4"
Mounting Selection	Up* and Down
Lamping Options	Incandescent, Compact Fluorescent, Metal Halide
Voltage	120v
Watt	2x50W – 2x150W INC 2x26W – 2x42W CF 2x70W – 2x100W MH
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

FLUSH BARIL : #2511

Diameter	6"
Mounting Selection	Up* and Down
Lamping Options	Incandescent
Voltage	120v
Watt	2x60w – 2x150w INC
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

* Comes with clear tempered glass with uplight

► Lamping Options



► Finishing Options



Lamping		
Bulb	Base	Watts
Incandescent		
A-19	Med.	60, 75, 90, 100
A-21	Med.	75, 90, 100, 135, 150
A-23	Med.	100, 150
R-20	Med.	17, 30, 50, 60, 75, 100
PAR-16	Med.	45, 60
PAR-20	Med.	50
PAR-30S	Med.	60, 75
PAR-30L	Med.	75
PAR-38	Med.	60, 75, 90, 100, 150
Compact Fluorescent		
PL-T	GX24q-3	26, 32
PL-T	GX24q-4	42
PL-C	GX24q-3	26
Metal Halide		
AD-17	Med	70, 100

Finishes	
SA	Satin aluminium
BZ	Bronze
VG	Verdegris
WH	White
BK	Black
GR	Green
YL	Yellow
BU	Blue
RD	Red
BN	Brown
CS	Custom color with sample



Universal Series

HEAT



WARM: #3100

Diameter	7¾"
Mounting Selection	I (Stem) , L (Cord)
Lamping	Incandescent R-40 Heat Ray
Voltage	120v
Watt	250W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



HEAT : #3110

Diameter	9¾"
Mounting Selection	I (Stem) , L (Cord)
Lamping	Incandescent R-40 Heat Ray
Voltage	120v
Watt	250W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG

Le Lampiste 4791 Chemin de la Savane, St-Hubert, Québec, Canada, J3Y 9G1
 Tel: 1-450-462-1137 / 1-800-919-1136 Fax: 1-450-462-1150 @mail: info@lampiste.com
WWW.LAMPISTE.COM

Copyright 2003 Le Lampiste de Beloeil Inc.



BRAZIER: #3120

Diameter	7¼"
Mounting Selection	I (Stem), K (Cord)
Lamping	Incandescent R-40 Heat Ray
Voltage	120v
Watt	250W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



BOILER : #3130

Diameter	7"
Mounting Selection	I (Stem) , L (Cord)
Lamping	Incandescent R-40 Heat Ray
Voltage	120v
Watt	250W
Finishing Options	SA, BZ, VG, WH, BK, GR, YL, BU, RD, BG



Purchase Order

RLM, PAR, CYL, HEAT

Notes:

- 1- All our fixtures can come with your custom arm. Send your drawing to the factory and contact us for pricing.
- 2- Brass or Copper finish are available, call factory for pricing.
- 3- Custom color are available, send your color sample to factory.
- 4- Compact Fluorescent, High Pressure Sodium and Metal Halide are available on special request on certain models. Call Factory for more informations.

Samples:

Qty.	Fixture number	Fixture diameter	Mounting selection	Swivel option*	Lamping option**	Wattage (watts)	Voltage (volts)	Finish option
4	1090	8	D	Y	I	100	120	YL
25	1070	14	G+L+M	N	CF	26	120	SA

* Y = with swivel; N = Without swivel

** I = Incandescent; CF = Compact Fluorescent; HPS = High pressure Sodium; MH = Metal Halide

Purchasing Form:

Qty.	Fixture number	Fixture diameter	Mounting selection	Swivel option*	Lamping option**	Wattage (watts)	Voltage (volts)	Finish option

* Y = with swivel; N = Without swivel

** I = Incandescent; CF = Compact Fluorescent; HPS = High pressure Sodium; MH = Metal Halide

Le Lampiste 4791 Chemin de la Savane, St-Hubert, Québec, Canada, J3Y 9G1
Tel: 1-450-462-1137 / 1-800-919-1136 Fax: 1-450-462-1150 @mail: info@lampiste.com
WWW.LAMPISTE.COM

Copyright 2003 Le Lampiste de Beloeil Inc.